



## P165/P185 Series

Portable Radio and Accessories



Price Catalogue  
EMEA USD Territories

## **Contents**

**P165 Portable Radio Models** ➡

**P185 Portable Radio Models** ➡

**P Series Portable Radio Accessories** ➡

Price catalogue is subject to change without notice.

MOTOROLA and the Stylized M Logo are registered in the U.S. Patent and Trademark Office.  
All other product or service names are the property of their registered owners. © Motorola, Inc. 2009

**Delivers Two-Way Radio Functionality with an Ergonomic Compact Design**

**Features**

- 99 channels
- Large on/off/volume control knob
- 8 character alphanumeric LCD with user-friendly icons
- Large, textured PTT for easy access
- 5 programmable buttons enabling one touch access for up to 10 user-selected features
- DTMF signalling that provides caller identification and private communication
- VOX ready for hands-free communication
- X-Pand Technology and tight specifications to enhance the rejection of interference resulting in crisp, clear audio
- Long lasting battery life - Lilon battery solution offering up to 11 hours of battery life at high power operation
- Easy-to-use, durable, compact and lightweight design (350 grams or 12.3 ounces with the standard Lilon battery)
- Motorola's ALT (Accelerated Life Testing) certified
- MIL-STD 810C, D, E and F compliant
- IP54 rating against dust and water intrusion

**Standard Package**

Basic model includes:

- Portable Radio with limited keypad
- Antenna (select from Options)
- Battery (select from Options)
- 2nd Battery (optional)
- Belt Clip
- Dust Cover
- Single Unit Charger
- Switch Mode Power Supply (select from Options)
- Quick Reference Guide (optional)
- Safety Leaflet, Accessory Leaflet and RTTE Leaflet

**Technical Data**

VHF (136-174MHz): 140.000, 143.994, 149.995, 150.000, 160.000, 170.000, 170.005MHz

UHF (403-447MHz): 424.355, 424.810, 442.360, 442.365, 442.370, 444.010, 444.015, 443.900, 444.125, 446.030, 446.035, 446.445, 446.450, 446.455, 446.675, 446.680MHz

**P165 136-174 5W 12.5/20/25K PB302F**

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH03KEU9AA7AE	P165 136-174 5W 12.5/20/25K PB302F CE: Yes RTTE: Yes	<b>\$280.00</b>

**Mandatory Options: One option from each group must be chosen**

<b>Antenna</b>	QA01289AA	ADD: VHF HELIFLEX 146-174MHZ	\$0.00
	QA01290AA	ADD: VHF HELIFLEX 136-162 MHZ	\$0.00
	QA01291AA	ADD: VHF STUBBY 146-162 MHZ 9CM	\$0.00
	QA01293AA	ADD: VHF STUBBY 155-174 MHZ 9 CM	\$0.00
	QA01294AA	ADD: VHF ANT 155-174MHZ 14CM	\$0.00
	QA01295AA	ADD: VHF STUBBY 162-174 MHZ 9CM	\$0.00
	QA01296AA	ADD: VHF STUBBY 136-155 MHZ 9 CM	\$0.00
<b>CLS STANDARD BATTERY P100 SERIES</b>	QA01297AA	ADD: VHF ANT 136-155MHZ 14CM	\$0.00
	QA01298AA	ADD: NIMH BATTERY 1300MAH	\$0.00
	QA01299AA	ADD: LIION BATTERY 1500MAH	\$35.00
	QA01300AA	ADD: LIION HIGH CAPACITY 2150MAH	\$65.00
<b>CLS CHARGER P100 SERIES</b>	QA01488AA	ADD: NIMH BATT 1300MAH FOR LOW TEMP	\$5.00
	QA01304AA	ADD: SUC BASE WITH US 2P SMPS	\$0.00
	QA01305AA	ADD: SUC BASE WITH UK 3P SMPS	\$0.00
<b>CLS QUICK REF GUIDE P100 SERIES</b>	QA01306AA	ADD: SUC BASE WITH EU 2P SMPS	\$0.00
	QA01357AA	ADD: QUICK REF GUIDE P100 SERIES	\$0.00
	QA01358AA	DEL: QUICK REF GUIDE P100 SERIES	\$0.00

**P165 Portable**

**P165 136-174 5W 12.5/20/25K PB302F (Continued)**

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
<b>Warranty</b>	QA01307AA	ADD: 12 MONTHS WARRANTY EMEA	\$0.00
	QA01308AA	ADD: ECO 24 MONTHS WARRANTY EMEA	-
	QA01309AA	ADD: ECO 36 MONTHS WARRANTY EMEA	-
	QA01310AA	ADD: ECO 48 MONTHS WARRANTY EMEA	-
	QA01311AA	ADD: ECO 60 MONTHS WARRANTY EMEA	-
	QA01312AA	DEL: WARRANTY EMEA	-

*Additional Options: May be ordered as required*

<b>CLS SECOND BATTERY P100 SERIES</b>	QA01301AA	ADD: SECOND NIMH BATTERY 1300MAH	\$36.00
	QA01302AA	ADD: SECOND LIION BATTERY 1500MAH	\$68.00
	QA01303AA	ADD: SECOND LIION HIGH CAP 2150MAH	\$95.00
	QA01489AA	ADD: SEC NIMH BAT 1300MAH F/LOW TMP	\$41.00
<b>Trade In</b>	QA01313AA	ADD: TRADE IN A (P100)	-
	QA01314AA	ADD: TRADE IN B (P100)	-

**P165 403-447 4W 12.5/20/25 PB502FA**

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH03QDU9AA7AE	P165 403-447 4W 12.5/20/25 PB502FA CE: Yes RTTE: Yes	<b>\$280.00</b>

*Mandatory Options: One option from each group must be chosen*

<b>Antenna</b>	QA01281AA	ADD: UHF WHIP 403-520MHZ 16.5CM	\$0.00
	QA01282AA	ADD: UHF WHIP 403-520MHZ	\$0.00
	QA01283AA	ADD: UHF STUBBY 430-470MHZ 9CM	\$0.00
	QA01284AA	ADD: UHF STUBBY 403-433MHZ 9CM	\$0.00
<b>CLS STANDARD BATTERY P100 SERIES</b>	QA01298AA	ADD: NIMH BATTERY 1300MAH	\$0.00
	QA01299AA	ADD: LIION BATTERY 1500MAH	\$35.00
	QA01300AA	ADD: LIION HIGH CAPACITY 2150MAH	\$65.00
	QA01488AA	ADD: NIMH BATT 1300MAH FOR LOW TEMP	\$5.00
<b>CLS CHARGER P100 SERIES</b>	QA01304AA	ADD: SUC BASE WITH US 2P SMPS	\$0.00
	QA01305AA	ADD: SUC BASE WITH UK 3P SMPS	\$0.00
	QA01306AA	ADD: SUC BASE WITH EU 2P SMPS	\$0.00
<b>CLS QUICK REF GUIDE P100 SERIES</b>	QA01357AA	ADD: QUICK REF GUIDE P100 SERIES	\$0.00
	QA01358AA	DEL: QUICK REF GUIDE P100 SERIES	\$0.00
<b>Warranty</b>	QA01307AA	ADD: 12 MONTHS WARRANTY EMEA	\$0.00
	QA01308AA	ADD: ECO 24 MONTHS WARRANTY EMEA	-
	QA01309AA	ADD: ECO 36 MONTHS WARRANTY EMEA	-
	QA01310AA	ADD: ECO 48 MONTHS WARRANTY EMEA	-
	QA01311AA	ADD: ECO 60 MONTHS WARRANTY EMEA	-
	QA01312AA	DEL: WARRANTY EMEA	-

*Additional Options: May be ordered as required*

<b>CLS SECOND BATTERY P100 SERIES</b>	QA01301AA	ADD: SECOND NIMH BATTERY 1300MAH	\$36.00
	QA01302AA	ADD: SECOND LIION BATTERY 1500MAH	\$68.00
	QA01303AA	ADD: SECOND LIION HIGH CAP 2150MAH	\$95.00
	QA01489AA	ADD: SEC NIMH BAT 1300MAH F/LOW TMP	\$41.00
<b>Trade In</b>	QA01313AA	ADD: TRADE IN A (P100)	-
	QA01314AA	ADD: TRADE IN B (P100)	-

**P165 Portable**

**P165 435-480 4W 12.5/20/25K PB502FB**

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH03RDU9AA7AE	P165 435-480 4W 12.5/20/25K PB502FB CE: Yes RTTE: Yes	<b>\$280.00</b>

**Mandatory Options: One option from each group must be chosen**

<b>Antenna</b>	QA01281AA	ADD: UHF WHIP 403-520MHZ 16.5CM	\$0.00
	QA01282AA	ADD: UHF WHIP 403-520MHZ	\$0.00
	QA01283AA	ADD: UHF STUBBY 430-470MHZ 9CM	\$0.00
<b>CLS STANDARD BATTERY P100 SERIES</b>	QA01298AA	ADD: NIMH BATTERY 1300MAH	\$0.00
	QA01299AA	ADD: LIION BATTERY 1500MAH	\$35.00
	QA01300AA	ADD: LIION HIGH CAPACITY 2150MAH	\$65.00
	QA01488AA	ADD: NIMH BATT 1300MAH FOR LOW TEMP	\$5.00
<b>CLS CHARGER P100 SERIES</b>	QA01304AA	ADD: SUC BASE WITH US 2P SMPS	\$0.00
	QA01305AA	ADD: SUC BASE WITH UK 3P SMPS	\$0.00
	QA01306AA	ADD: SUC BASE WITH EU 2P SMPS	\$0.00
<b>CLS QUICK REF GUIDE P100 SERIES</b>	QA01357AA	ADD: QUICK REF GUIDE P100 SERIES	\$0.00
	QA01358AA	DEL: QUICK REF GUIDE P100 SERIES	\$0.00
<b>Warranty</b>	QA01307AA	ADD: 12 MONTHS WARRANTY EMEA	\$0.00
	QA01308AA	ADD: ECO 24 MONTHS WARRANTY EMEA	-
	QA01309AA	ADD: ECO 36 MONTHS WARRANTY EMEA	-
	QA01310AA	ADD: ECO 48 MONTHS WARRANTY EMEA	-
	QA01311AA	ADD: ECO 60 MONTHS WARRANTY EMEA	-
	QA01312AA	DEL: WARRANTY EMEA	-

**Additional Options: May be ordered as required**

<b>CLS SECOND BATTERY P100 SERIES</b>	QA01301AA	ADD: SECOND NIMH BATTERY 1300MAH	\$36.00
	QA01302AA	ADD: SECOND LIION BATTERY 1500MAH	\$68.00
	QA01303AA	ADD: SECOND LIION HIGH CAP 2150MAH	\$95.00
	QA01489AA	ADD: SEC NIMH BAT 1300MAH F/LOW TMP	\$41.00
<b>Trade In</b>	QA01313AA	ADD: TRADE IN A (P100)	-
	QA01314AA	ADD: TRADE IN B (P100)	-

**Delivers Two-Way Radio Functionality with an Ergonomic Compact Design**

**Features**

- 99 channels
- Large on/off/volume control knob
- 8 character alphanumeric LCD with user-friendly icons
- Large, textured PTT for easy access
- 5 programmable buttons enabling one touch access for up to 10 user-selected features
- Keypad enables flexible radio operation
- DTMF signalling that provides caller identification and private communication
- VOX ready for hands-free communication;
- X-Pand Technology and tight specifications to enhance the rejection of interference resulting in crisp, clear audio;
- Long lasting battery life - Lilon battery solution offering up to 11 hours of battery life at high power operation
- Easy-to-use, durable, compact and lightweight design (350 grams or 12.3 ounces with the standard Lilon battery)
- Motorola's ALT (Accelerated Life Testing) certified
- MIL-STD 810C, D, E and F compliant
- IP54 rating against dust and water intrusion

**Standard Package**

Basic model includes:

- Portable Radio with full keypad
- Antenna (select from Options)
- Battery (select from Options)
- 2nd Battery (optional)
- Belt Clip
- Dust Cover
- Single Unit Charger
- Switch Mode Power Supply (select from Options)
- Quick Reference Guide (optional)
- Safety Leaflet, Accessory Leaflet and RTTE Leaflet

**Technical Data**

The following frequencies are potentially self-quieting and should be avoided:

VHF (136-174MHz): 140.000, 143.994, 149.995, 150.000, 160.000, 170.000, 170.005MHz

UHF/R1 (403-447MHz): 424.355, 424.810, 442.360, 442.365, 442.370, 444.010, 444.015, 443.900, 444.125, 446.030, 446.035, 446.445, 446.450, 446.455, 446.675, 446.680MHz

**P185 136-174 5W 12.5/20/25K PB302H**

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH03KET9AA7AE	P185 136-174 5W 12.5/20/25K PB302H CE: Yes RTTE: Yes	<b>\$290.00</b>

**Mandatory Options: One option from each group must be chosen**

<b>Antenna</b>	QA01289AA	ADD: VHF HELIFLEX 146-174MHZ	\$0.00
	QA01290AA	ADD: VHF HELIFLEX 136-162 MHZ	\$0.00
	QA01291AA	ADD: VHF STUBBY 146-162 MHZ 9CM	\$0.00
	QA01293AA	ADD: VHF STUBBY 155-174 MHZ 9 CM	\$0.00
	QA01294AA	ADD: VHF ANT 155-174MHZ 14CM	\$0.00
	QA01295AA	ADD: VHF STUBBY 162-174 MHZ 9CM	\$0.00
	QA01296AA	ADD: VHF STUBBY 136-155 MHZ 9 CM	\$0.00
	QA01297AA	ADD: VHF ANT 136-155MHZ 14CM	\$0.00
<b>CLS STANDARD BATTERY P100 SERIES</b>	QA01298AA	ADD: NIMH BATTERY 1300MAH	\$0.00
	QA01299AA	ADD: LIION BATTERY 1500MAH	\$35.00
	QA01300AA	ADD: LIION HIGH CAPACITY 2150MAH	\$65.00
	QA01488AA	ADD: NIMH BATT 1300MAH FOR LOW TEMP	\$5.00
<b>CLS CHARGER P100 SERIES</b>	QA01304AA	ADD: SUC BASE WITH US 2P SMPS	\$0.00
	QA01305AA	ADD: SUC BASE WITH UK 3P SMPS	\$0.00
	QA01306AA	ADD: SUC BASE WITH EU 2P SMPS	\$0.00
<b>CLS QUICK REF GUIDE P100 SERIES</b>	QA01357AA	ADD: QUICK REF GUIDE P100 SERIES	\$0.00
	QA01358AA	DEL: QUICK REF GUIDE P100 SERIES	\$0.00

**P185 Portable**

**P185 136-174 5W 12.5/20/25K PB302H (Continued)**

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
<b>Warranty</b>	QA01307AA	ADD: 12 MONTHS WARRANTY EMEA	\$0.00
	QA01308AA	ADD: ECO 24 MONTHS WARRANTY EMEA	-
	QA01309AA	ADD: ECO 36 MONTHS WARRANTY EMEA	-
	QA01310AA	ADD: ECO 48 MONTHS WARRANTY EMEA	-
	QA01311AA	ADD: ECO 60 MONTHS WARRANTY EMEA	-
	QA01312AA	DEL: WARRANTY EMEA	-

*Additional Options: May be ordered as required*

<b>CLS SECOND BATTERY P100 SERIES</b>	QA01301AA	ADD: SECOND NIMH BATTERY 1300MAH	\$36.00
	QA01302AA	ADD: SECOND LIION BATTERY 1500MAH	\$68.00
	QA01303AA	ADD: SECOND LIION HIGH CAP 2150MAH	\$95.00
	QA01489AA	ADD: SEC NIMH BAT 1300MAH F/LOW TMP	\$41.00
<b>Trade In</b>	QA01313AA	ADD: TRADE IN A (P100)	-
	QA01314AA	ADD: TRADE IN B (P100)	-

**P185 403-447 4W 12.5/20/25 PB502HA**

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH03QDT9AA7AE	P185 403-447 4W 12.5/20/25 PB502HA CE: Yes RTTE: Yes	<b>\$290.00</b>

*Mandatory Options: One option from each group must be chosen*

<b>Antenna</b>	QA01281AA	ADD: UHF WHIP 403-520MHZ 16.5CM	\$0.00
	QA01282AA	ADD: UHF WHIP 403-520MHZ	\$0.00
	QA01283AA	ADD: UHF STUBBY 430-470MHZ 9CM	\$0.00
	QA01284AA	ADD: UHF STUBBY 403-433MHZ 9CM	\$0.00
<b>CLS STANDARD BATTERY P100 SERIES</b>	QA01298AA	ADD: NIMH BATTERY 1300MAH	\$0.00
	QA01299AA	ADD: LIION BATTERY 1500MAH	\$35.00
	QA01300AA	ADD: LIION HIGH CAPACITY 2150MAH	\$65.00
	QA01488AA	ADD: NIMH BATT 1300MAH FOR LOW TEMP	\$5.00
<b>CLS CHARGER P100 SERIES</b>	QA01304AA	ADD: SUC BASE WITH US 2P SMPS	\$0.00
	QA01305AA	ADD: SUC BASE WITH UK 3P SMPS	\$0.00
	QA01306AA	ADD: SUC BASE WITH EU 2P SMPS	\$0.00
<b>CLS QUICK REF GUIDE P100 SERIES</b>	QA01357AA	ADD: QUICK REF GUIDE P100 SERIES	\$0.00
	QA01358AA	DEL: QUICK REF GUIDE P100 SERIES	\$0.00
<b>Warranty</b>	QA01307AA	ADD: 12 MONTHS WARRANTY EMEA	\$0.00
	QA01308AA	ADD: ECO 24 MONTHS WARRANTY EMEA	-
	QA01309AA	ADD: ECO 36 MONTHS WARRANTY EMEA	-
	QA01310AA	ADD: ECO 48 MONTHS WARRANTY EMEA	-
	QA01311AA	ADD: ECO 60 MONTHS WARRANTY EMEA	-
	QA01312AA	DEL: WARRANTY EMEA	-

*Additional Options: May be ordered as required*

<b>CLS SECOND BATTERY P100 SERIES</b>	QA01301AA	ADD: SECOND NIMH BATTERY 1300MAH	\$36.00
	QA01302AA	ADD: SECOND LIION BATTERY 1500MAH	\$68.00
	QA01303AA	ADD: SECOND LIION HIGH CAP 2150MAH	\$95.00
	QA01489AA	ADD: SEC NIMH BAT 1300MAH F/LOW TMP	\$41.00
<b>Trade In</b>	QA01313AA	ADD: TRADE IN A (P100)	-
	QA01314AA	ADD: TRADE IN B (P100)	-

**P185 Portable**

**P185 435-480 4W 12.5/20/25K PB502HB**

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH03RDT9AA7AE	P185 435-480 4W 12.5/20/25K PB502HB CE: Yes RTTE: Yes	<b>\$290.00</b>

**Mandatory Options: One option from each group must be chosen**

<b>Antenna</b>	QA01281AA	ADD: UHF WHIP 403-520MHZ 16.5CM	\$0.00
	QA01282AA	ADD: UHF WHIP 403-520MHZ	\$0.00
	QA01283AA	ADD: UHF STUBBY 430-470MHZ 9CM	\$0.00
<b>CLS STANDARD BATTERY P100 SERIES</b>	QA01298AA	ADD: NIMH BATTERY 1300MAH	\$0.00
	QA01299AA	ADD: LIION BATTERY 1500MAH	\$35.00
	QA01300AA	ADD: LIION HIGH CAPACITY 2150MAH	\$65.00
	QA01488AA	ADD: NIMH BATT 1300MAH FOR LOW TEMP	\$5.00
<b>CLS CHARGER P100 SERIES</b>	QA01304AA	ADD: SUC BASE WITH US 2P SMPS	\$0.00
	QA01305AA	ADD: SUC BASE WITH UK 3P SMPS	\$0.00
	QA01306AA	ADD: SUC BASE WITH EU 2P SMPS	\$0.00
<b>CLS QUICK REF GUIDE P100 SERIES</b>	QA01357AA	ADD: QUICK REF GUIDE P100 SERIES	\$0.00
	QA01358AA	DEL: QUICK REF GUIDE P100 SERIES	\$0.00
<b>Warranty</b>	QA01307AA	ADD: 12 MONTHS WARRANTY EMEA	\$0.00
	QA01308AA	ADD: ECO 24 MONTHS WARRANTY EMEA	-
	QA01309AA	ADD: ECO 36 MONTHS WARRANTY EMEA	-
	QA01310AA	ADD: ECO 48 MONTHS WARRANTY EMEA	-
	QA01311AA	ADD: ECO 60 MONTHS WARRANTY EMEA	-
	QA01312AA	DEL: WARRANTY EMEA	-

**Additional Options: May be ordered as required**

<b>CLS SECOND BATTERY P100 SERIES</b>	QA01301AA	ADD: SECOND NIMH BATTERY 1300MAH	\$36.00
	QA01302AA	ADD: SECOND LIION BATTERY 1500MAH	\$68.00
	QA01303AA	ADD: SECOND LIION HIGH CAP 2150MAH	\$95.00
	QA01489AA	ADD: SEC NIMH BAT 1300MAH F/LOW TMP	\$41.00
<b>Trade In</b>	QA01313AA	ADD: TRADE IN A (P100)	-
	QA01314AA	ADD: TRADE IN B (P100)	-

## Carrying Solutions


	<b>Spring Action Belt Clip</b> <ul style="list-style-type: none"> <li>Material: Plastic</li> <li>Attachment Type: Belt Clip</li> <li>Belt Swivel: No</li> <li>Belt Width: 1.5 inch</li> <li>Display/Non-Display: N/A</li> </ul>			
	<table border="1"> <tr> <td> <b>Part Number: HLN9844A</b>                      SPRING ACTION BELT CLIP 2.0                      Unit of Measure: EA      CE: No    RTTE: No                 </td> <td> <table border="1"> <tr> <th>List Price</th> </tr> <tr> <td>\$2.35</td> </tr> </table> </td> </tr> </table>	<b>Part Number: HLN9844A</b> SPRING ACTION BELT CLIP 2.0 Unit of Measure: EA      CE: No    RTTE: No	<table border="1"> <tr> <th>List Price</th> </tr> <tr> <td>\$2.35</td> </tr> </table>	List Price
<b>Part Number: HLN9844A</b> SPRING ACTION BELT CLIP 2.0 Unit of Measure: EA      CE: No    RTTE: No	<table border="1"> <tr> <th>List Price</th> </tr> <tr> <td>\$2.35</td> </tr> </table>	List Price	\$2.35	
List Price				
\$2.35				


## Antennas


	<b>Antenna VHF 136-162MHz</b> <ul style="list-style-type: none"> <li>Type: Heliflex</li> <li>Frequency Band: VHF</li> <li>Frequency Range: 136-162MHz</li> <li>GPS: N</li> <li>Colour Code: Yellow</li> <li>Length (cm): 15.5</li> </ul>			
	<table border="1"> <tr> <td> <b>Part Number: HAD9338BR</b>                      ANTENNA VHF 136-150.8 MHZ                      Unit of Measure: EA      CE: No    RTTE: No                 </td> <td> <table border="1"> <tr> <th>List Price</th> </tr> <tr> <td>\$9.00</td> </tr> </table> </td> </tr> </table>	<b>Part Number: HAD9338BR</b> ANTENNA VHF 136-150.8 MHZ Unit of Measure: EA      CE: No    RTTE: No	<table border="1"> <tr> <th>List Price</th> </tr> <tr> <td>\$9.00</td> </tr> </table>	List Price
<b>Part Number: HAD9338BR</b> ANTENNA VHF 136-150.8 MHZ Unit of Measure: EA      CE: No    RTTE: No	<table border="1"> <tr> <th>List Price</th> </tr> <tr> <td>\$9.00</td> </tr> </table>	List Price	\$9.00	
List Price				
\$9.00				

	<b>Antenna VHF 146-162MHz Stubby</b> <ul style="list-style-type: none"> <li>Type: Stubby</li> <li>Frequency Band: VHF</li> <li>Frequency Range: 146-162MHz</li> <li>GPS: N</li> <li>Colour Code: Black</li> <li>Length (cm): 9</li> </ul>			
	<table border="1"> <tr> <td> <b>Part Number: HAD9742A</b>                      VHF STUB ANT 151-159                      Unit of Measure: EA      CE: No    RTTE: No                 </td> <td> <table border="1"> <tr> <th>List Price</th> </tr> <tr> <td>\$9.00</td> </tr> </table> </td> </tr> </table>	<b>Part Number: HAD9742A</b> VHF STUB ANT 151-159 Unit of Measure: EA      CE: No    RTTE: No	<table border="1"> <tr> <th>List Price</th> </tr> <tr> <td>\$9.00</td> </tr> </table>	List Price
<b>Part Number: HAD9742A</b> VHF STUB ANT 151-159 Unit of Measure: EA      CE: No    RTTE: No	<table border="1"> <tr> <th>List Price</th> </tr> <tr> <td>\$9.00</td> </tr> </table>	List Price	\$9.00	
List Price				
\$9.00				


	<b>Antenna VHF 162-174MHz Stubby</b> <ul style="list-style-type: none"> <li>Type: Stubby</li> <li>Frequency Band: VHF</li> <li>Frequency Range: 162-174MHz</li> <li>GPS: N</li> <li>Colour Code: Blue</li> <li>Length (cm): 9</li> </ul>			
	<table border="1"> <tr> <td> <b>Part Number: HAD9743A</b>                      162-174 MHZ STUB ANT                      Unit of Measure: EA      CE: No    RTTE: No                 </td> <td> <table border="1"> <tr> <th>List Price</th> </tr> <tr> <td>\$9.00</td> </tr> </table> </td> </tr> </table>	<b>Part Number: HAD9743A</b> 162-174 MHZ STUB ANT Unit of Measure: EA      CE: No    RTTE: No	<table border="1"> <tr> <th>List Price</th> </tr> <tr> <td>\$9.00</td> </tr> </table>	List Price
<b>Part Number: HAD9743A</b> 162-174 MHZ STUB ANT Unit of Measure: EA      CE: No    RTTE: No	<table border="1"> <tr> <th>List Price</th> </tr> <tr> <td>\$9.00</td> </tr> </table>	List Price	\$9.00	
List Price				
\$9.00				


	<b>Antenna VHF 146-174MHz</b> <ul style="list-style-type: none"> <li>Type: Helical</li> <li>Frequency Band: VHF</li> <li>Frequency Range: 146-174MHz</li> <li>GPS: N</li> <li>Colour Code: Black</li> <li>Length (cm): 15</li> </ul>			
	<table border="1"> <tr> <td> <b>Part Number: NAD6502AR</b>                      WIDEBAND VHF ANTENNA                      Unit of Measure: EA      CE: No    RTTE: No                 </td> <td> <table border="1"> <tr> <th>List Price</th> </tr> <tr> <td>\$10.00</td> </tr> </table> </td> </tr> </table>	<b>Part Number: NAD6502AR</b> WIDEBAND VHF ANTENNA Unit of Measure: EA      CE: No    RTTE: No	<table border="1"> <tr> <th>List Price</th> </tr> <tr> <td>\$10.00</td> </tr> </table>	List Price
<b>Part Number: NAD6502AR</b> WIDEBAND VHF ANTENNA Unit of Measure: EA      CE: No    RTTE: No	<table border="1"> <tr> <th>List Price</th> </tr> <tr> <td>\$10.00</td> </tr> </table>	List Price	\$10.00	
List Price				
\$10.00				


	<b>Antenna VHF 136-155MHz</b> <ul style="list-style-type: none"> <li>Type: Stubby</li> <li>Frequency Band: VHF</li> <li>Frequency Range: 136-155MHz</li> <li>GPS: N</li> <li>Colour Code: Red</li> <li>Length (cm): 9</li> </ul>			
	<table border="1"> <tr> <td> <b>Part Number: PMAD4012A</b>                      VHF 9CM ANT (136-155MHZ)                      Unit of Measure: EA      CE: No    RTTE: No                 </td> <td> <table border="1"> <tr> <th>List Price</th> </tr> <tr> <td>\$7.00</td> </tr> </table> </td> </tr> </table>	<b>Part Number: PMAD4012A</b> VHF 9CM ANT (136-155MHZ) Unit of Measure: EA      CE: No    RTTE: No	<table border="1"> <tr> <th>List Price</th> </tr> <tr> <td>\$7.00</td> </tr> </table>	List Price
<b>Part Number: PMAD4012A</b> VHF 9CM ANT (136-155MHZ) Unit of Measure: EA      CE: No    RTTE: No	<table border="1"> <tr> <th>List Price</th> </tr> <tr> <td>\$7.00</td> </tr> </table>	List Price	\$7.00	
List Price				
\$7.00				

	<b>Antenna VHF 155-174MHz</b> <ul style="list-style-type: none"> <li>Type: Stubby</li> <li>Frequency Band: VHF</li> <li>Frequency Range: 155-174MHz</li> <li>GPS: N</li> <li>Colour Code: Black</li> <li>Length (cm): 9</li> </ul>			
	<table border="1"> <tr> <td> <b>Part Number: PMAD4013A</b>                      VHF 9CM ANT (155-174MHZ)                      Unit of Measure: EA      CE: No    RTTE: No                 </td> <td> <table border="1"> <tr> <th>List Price</th> </tr> <tr> <td>\$7.00</td> </tr> </table> </td> </tr> </table>	<b>Part Number: PMAD4013A</b> VHF 9CM ANT (155-174MHZ) Unit of Measure: EA      CE: No    RTTE: No	<table border="1"> <tr> <th>List Price</th> </tr> <tr> <td>\$7.00</td> </tr> </table>	List Price
<b>Part Number: PMAD4013A</b> VHF 9CM ANT (155-174MHZ) Unit of Measure: EA      CE: No    RTTE: No	<table border="1"> <tr> <th>List Price</th> </tr> <tr> <td>\$7.00</td> </tr> </table>	List Price	\$7.00	
List Price				
\$7.00				

**Antennas (Continued)**

	<p><b>Antenna VHF 136-155MHz</b></p> <ul style="list-style-type: none"> <li>Type: Helical</li> <li>Frequency Band: VHF</li> <li>Frequency Range: 136-155MHz</li> <li>GPS: N</li> <li>Colour Code: Red</li> <li>Length (cm): 14</li> </ul>					
	<table border="1"> <tr> <td><b>Part Number: PMAD4014A</b></td> <td>List Price</td> </tr> <tr> <td>VHF 14CM ANT (136-155MHZ)</td> <td>\$8.40</td> </tr> <tr> <td>Unit of Measure: EA</td> <td>CE: No RTTE: No</td> </tr> </table>	<b>Part Number: PMAD4014A</b>	List Price	VHF 14CM ANT (136-155MHZ)	\$8.40	Unit of Measure: EA
<b>Part Number: PMAD4014A</b>	List Price					
VHF 14CM ANT (136-155MHZ)	\$8.40					
Unit of Measure: EA	CE: No RTTE: No					


	<p><b>Antenna VHF 155-174MHz Whip</b></p> <ul style="list-style-type: none"> <li>Type: Whip</li> <li>Frequency Band: VHF</li> <li>Frequency Range: 155-174MHz</li> <li>GPS: N</li> <li>Colour Code: Black</li> <li>Length (cm): 14</li> </ul>					
	<table border="1"> <tr> <td><b>Part Number: PMAD4015A</b></td> <td>List Price</td> </tr> <tr> <td>VHF 14CM ANT (155-174MHZ)</td> <td>\$7.50</td> </tr> <tr> <td>Unit of Measure: EA</td> <td>CE: No RTTE: No</td> </tr> </table>	<b>Part Number: PMAD4015A</b>	List Price	VHF 14CM ANT (155-174MHZ)	\$7.50	Unit of Measure: EA
<b>Part Number: PMAD4015A</b>	List Price					
VHF 14CM ANT (155-174MHZ)	\$7.50					
Unit of Measure: EA	CE: No RTTE: No					

	<p><b>Antenna VHF 146-174MHz</b></p> <ul style="list-style-type: none"> <li>Type: Heliflex</li> <li>Frequency Band: UHF</li> <li>Frequency Range: 146-174MHz</li> <li>GPS: No</li> <li>Colour Code: -</li> <li>Length (cm): 15</li> <li>ATEX Dust Rating: 2D</li> </ul>					
	<table border="1"> <tr> <td><b>Part Number: PMAD4049A</b></td> <td>List Price</td> </tr> <tr> <td>ANTENNA HELICAL 146-174 MHZ E</td> <td>\$5.00</td> </tr> <tr> <td>Unit of Measure: EA</td> <td>CE: No RTTE: No</td> </tr> </table>	<b>Part Number: PMAD4049A</b>	List Price	ANTENNA HELICAL 146-174 MHZ E	\$5.00	Unit of Measure: EA
<b>Part Number: PMAD4049A</b>	List Price					
ANTENNA HELICAL 146-174 MHZ E	\$5.00					
Unit of Measure: EA	CE: No RTTE: No					

<p style="text-align: center;">IMAGE COMING SOON</p>	<p><b>Antenna UHF 403-433MHz</b></p> <ul style="list-style-type: none"> <li>Type: Stubby</li> <li>Frequency Band: UHF</li> <li>Frequency Range: 403-433MHz</li> <li>GPS: N</li> <li>Colour Code: Green</li> <li>Length (cm): 9</li> </ul>					
	<table border="1"> <tr> <td><b>Part Number: PMAE4002A</b></td> <td>List Price</td> </tr> <tr> <td>UHF 9CM ANTENNA(STUBBY)</td> <td>\$11.30</td> </tr> <tr> <td>Unit of Measure: EA</td> <td>CE: No RTTE: No</td> </tr> </table>	<b>Part Number: PMAE4002A</b>	List Price	UHF 9CM ANTENNA(STUBBY)	\$11.30	Unit of Measure: EA
<b>Part Number: PMAE4002A</b>	List Price					
UHF 9CM ANTENNA(STUBBY)	\$11.30					
Unit of Measure: EA	CE: No RTTE: No					

<p style="text-align: center;">IMAGE COMING SOON</p>	<p><b>Antenna UHF 430-470MHz</b></p> <ul style="list-style-type: none"> <li>Type: Stubby</li> <li>Frequency Band: UHF</li> <li>Frequency Range: 430-470MHz</li> <li>GPS: N</li> <li>Colour Code: Beige</li> <li>Length (cm): 9</li> </ul>					
	<table border="1"> <tr> <td><b>Part Number: PMAE4003A</b></td> <td>List Price</td> </tr> <tr> <td>UHF 9CM ANT (430-470MHZ)</td> <td>\$9.00</td> </tr> <tr> <td>Unit of Measure: EA</td> <td>CE: No RTTE: No</td> </tr> </table>	<b>Part Number: PMAE4003A</b>	List Price	UHF 9CM ANT (430-470MHZ)	\$9.00	Unit of Measure: EA
<b>Part Number: PMAE4003A</b>	List Price					
UHF 9CM ANT (430-470MHZ)	\$9.00					
Unit of Measure: EA	CE: No RTTE: No					

<p style="text-align: center;">IMAGE COMING SOON</p>	<p><b>Antenna UHF 465-495MHz</b></p> <ul style="list-style-type: none"> <li>Type: Stubby</li> <li>Frequency Band: UHF</li> <li>Frequency Range: 465-495MHz</li> <li>GPS: N</li> <li>Colour Code: Orange</li> <li>Length (cm): 9</li> </ul>					
	<table border="1"> <tr> <td><b>Part Number: PMAE4006A</b></td> <td>List Price</td> </tr> <tr> <td>UHF 9CM ANTENNA (465-495MHZ)</td> <td>\$9.80</td> </tr> <tr> <td>Unit of Measure: EA</td> <td>CE: No RTTE: No</td> </tr> </table>	<b>Part Number: PMAE4006A</b>	List Price	UHF 9CM ANTENNA (465-495MHZ)	\$9.80	Unit of Measure: EA
<b>Part Number: PMAE4006A</b>	List Price					
UHF 9CM ANTENNA (465-495MHZ)	\$9.80					
Unit of Measure: EA	CE: No RTTE: No					

	<p><b>Antenna UHF 403-520MHz Whip</b></p> <ul style="list-style-type: none"> <li>Type: Whip</li> <li>Frequency Band: UHF</li> <li>Frequency Range: 403-520MHz</li> <li>GPS: No</li> <li>Colour Code: N/A</li> <li>Length (cm): 17</li> <li>ATEX Dust Rating: 2D</li> </ul>					
	<table border="1"> <tr> <td><b>Part Number: PMAE4016A</b></td> <td>List Price</td> </tr> <tr> <td>ANTENNA WHIP 403-520 MHZ E</td> <td>\$5.00</td> </tr> <tr> <td>Unit of Measure: EA</td> <td>CE: No RTTE: No</td> </tr> </table>	<b>Part Number: PMAE4016A</b>	List Price	ANTENNA WHIP 403-520 MHZ E	\$5.00	Unit of Measure: EA
<b>Part Number: PMAE4016A</b>	List Price					
ANTENNA WHIP 403-520 MHZ E	\$5.00					
Unit of Measure: EA	CE: No RTTE: No					

**Batteries**

	<p><b>Li-Ion 2150 mAH battery</b></p> <ul style="list-style-type: none"> <li>• Dimensions HxWxD(mm): 119.46x55.42x23.20</li> <li>• Weight(g): 150g</li> <li>• Chemistry: Li-Ion</li> <li>• Operational Time(Hrs): Analogue (5-5-90) - 12 hours min.</li> <li>• Capacity[mAH]: 2150mAh(min)</li> <li>• Intelligent: No</li> <li>• No. of Charge cycle: 300</li> <li>• Energy Density (mAh/cm3): 14.26</li> <li>• Operating Tem Range (xc): -10 to +55</li> <li>• Memory Effect: Low</li> <li>• Requires Maintenance: No</li> </ul>				
	<table border="1"> <tr> <td><b>Part Number: PMNN4080AR</b></td> <td>List Price</td> </tr> <tr> <td>BATT STD IP54 LIION2150M2250T</td> <td rowspan="2">\$105.00</td> </tr> <tr> <td>Unit of Measure: EA CE: Yes RTTE: No</td> </tr> </table>	<b>Part Number: PMNN4080AR</b>	List Price	BATT STD IP54 LIION2150M2250T	\$105.00
<b>Part Number: PMNN4080AR</b>	List Price				
BATT STD IP54 LIION2150M2250T	\$105.00				
Unit of Measure: EA CE: Yes RTTE: No					


	<p><b>Li-Ion 1500 mAH battery</b></p> <ul style="list-style-type: none"> <li>• Dimensions HxWxD(mm): 119.33x54.42x18.00</li> <li>• Weight(g): 145g</li> <li>• Chemistry: Li-Ion</li> <li>• Operational Time(Hrs): Analogue (5-5-90) - 8 hours min.</li> <li>• Capacity[mAH]: 1500mAh(min)</li> <li>• Intelligent: No</li> <li>• No. of Charge cycle: 300</li> <li>• Energy Density (mAh/cm3): 12.83</li> <li>• Operating Tem Range (xc): -10 to +55</li> <li>• Memory Effect: Low</li> <li>• Requires Maintenance: No</li> </ul>				
	<table border="1"> <tr> <td><b>Part Number: PMNN4081AR</b></td> <td>List Price</td> </tr> <tr> <td>BATT STD IP54 LIION1500M1700T</td> <td rowspan="2">\$75.00</td> </tr> <tr> <td>Unit of Measure: EA CE: Yes RTTE: No</td> </tr> </table>	<b>Part Number: PMNN4081AR</b>	List Price	BATT STD IP54 LIION1500M1700T	\$75.00
<b>Part Number: PMNN4081AR</b>	List Price				
BATT STD IP54 LIION1500M1700T	\$75.00				
Unit of Measure: EA CE: Yes RTTE: No					


	<p><b>NiMH 1300 mAH battery</b></p> <ul style="list-style-type: none"> <li>• Dimensions HxWxD(mm): 119.37x54.42x19.00</li> <li>• Weight(g): 200g</li> <li>• Chemistry: NiMH</li> <li>• Operational Time(Hrs): Analogue (5-5-90) - 8 hours min.</li> <li>• Capacity[mAH]: 1300mAh(min)</li> <li>• Intelligent: No</li> <li>• No. of Charge cycle: 400</li> <li>• Energy Density (mAh/cm3): 10.53</li> <li>• Operating Tem Range (xc): -20 to +55</li> <li>• Memory Effect: Low</li> <li>• Requires Maintenance: No</li> </ul>				
	<table border="1"> <tr> <td><b>Part Number: PMNN4082AR</b></td> <td>List Price</td> </tr> <tr> <td>BATT STD IP54 NIMH1300M1400T</td> <td rowspan="2">\$40.00</td> </tr> <tr> <td>Unit of Measure: EA CE: Yes RTTE: No</td> </tr> </table>	<b>Part Number: PMNN4082AR</b>	List Price	BATT STD IP54 NIMH1300M1400T	\$40.00
<b>Part Number: PMNN4082AR</b>	List Price				
BATT STD IP54 NIMH1300M1400T	\$40.00				
Unit of Measure: EA CE: Yes RTTE: No					


	<p><b>NiMH 1300 mAH battery</b></p> <ul style="list-style-type: none"> <li>• Dimensions HxWxD(mm): 119.37x54.42x19.00</li> <li>• Weight(g): 200g</li> <li>• Chemistry: NiMH</li> <li>• Operational Time(Hrs): Analogue (5-5-90) - 8 hours min.</li> <li>• Capacity[mAH]: 1300mAh(min)</li> <li>• Intelligent: No</li> <li>• No. of Charge cycle: 400</li> <li>• Energy Density (mAh/cm3): 10.53</li> <li>• Operating Tem Range (xc): -5 to +55</li> <li>• Memory Effect: Low</li> <li>• Requires Maintenance: No</li> </ul>				
	<table border="1"> <tr> <td><b>Part Number: PMNN4082BR</b></td> <td>List Price</td> </tr> <tr> <td>BATT STD IP54 NIMH1300M1400T</td> <td rowspan="2">\$40.00</td> </tr> <tr> <td>Unit of Measure: EA CE: Yes RTTE: No</td> </tr> </table>	<b>Part Number: PMNN4082BR</b>	List Price	BATT STD IP54 NIMH1300M1400T	\$40.00
<b>Part Number: PMNN4082BR</b>	List Price				
BATT STD IP54 NIMH1300M1400T	\$40.00				
Unit of Measure: EA CE: Yes RTTE: No					


	<p><b>NiMH 1300 mAH battery</b></p> <ul style="list-style-type: none"> <li>• Dimensions HxWxD(mm): 119.37x54.42x19.00</li> <li>• Weight(g): 210g</li> <li>• Chemistry: NiMH</li> <li>• Operational Time(Hrs): Analogue (5-5-90) - 8 hours min.</li> <li>• Capacity[mAH]: 1300mAh(min)</li> <li>• Intelligent: No</li> <li>• No. of Charge cycle: 500</li> <li>• Energy Density (mAh/cm3): 10.53</li> <li>• Operating Tem Range (xc): -20 to +55</li> <li>• Memory Effect: Low</li> <li>• Requires Maintenance: No</li> </ul>				
	<table border="1"> <tr> <td><b>Part Number: PMNN4092AR</b></td> <td>List Price</td> </tr> <tr> <td>BATT STD IP54 NIMH1300M1400T</td> <td rowspan="2">\$45.00</td> </tr> <tr> <td>Unit of Measure: EA CE: Yes RTTE: No</td> </tr> </table>	<b>Part Number: PMNN4092AR</b>	List Price	BATT STD IP54 NIMH1300M1400T	\$45.00
<b>Part Number: PMNN4092AR</b>	List Price				
BATT STD IP54 NIMH1300M1400T	\$45.00				
Unit of Measure: EA CE: Yes RTTE: No					

**Chargers & Conditioners**


 IMAGE COMING SOON	<p><b>Switch Mode Power Supply (Euro)</b></p> <ul style="list-style-type: none"> <li>Type: Switch Mode</li> <li>Dimensions (mm): -</li> <li>Operating Temperature (°C): -</li> <li>Storage Temperature (°C): -</li> <li>Operating Voltage (Vac): 90-264</li> <li>Line cord: Euro</li> <li>Charger Base: for use with PMLN5228AR</li> </ul>	
	<p><b>Part Number: EPNN9286A</b>                  ASSY,P/S,CHGR SWM,EURO, SWITCHING, PWR SPLY                  Unit of Measure: EA CE: Yes RTTE: No</p> <table border="1" style="width: 100%;"> <tr> <td style="text-align: right;">List Price</td> </tr> <tr> <td style="text-align: center;">\$20.00</td> </tr> </table>	List Price
List Price		
\$20.00		


 IMAGE COMING SOON	<p><b>Switch Mode Power Supply (UK)</b></p> <ul style="list-style-type: none"> <li>Type: Switch Mode</li> <li>Dimensions (mm): -</li> <li>Operating Temperature (°C): -</li> <li>Storage Temperature (°C): -</li> <li>Operating Voltage (Vac): 90-264</li> <li>Line cord: UK</li> <li>Charger Base: for use with PMLN5228AR</li> </ul>	
	<p><b>Part Number: EPNN9287A</b>                  ASSY,P/S,CHGR SWM,UK, SWITCHING, PWR SPLY                  Unit of Measure: EA CE: Yes RTTE: No</p> <table border="1" style="width: 100%;"> <tr> <td style="text-align: right;">List Price</td> </tr> <tr> <td style="text-align: center;">\$20.00</td> </tr> </table>	List Price
List Price		
\$20.00		

 IMAGE COMING SOON	<p><b>Switch Mode Power Supply (US)</b></p> <ul style="list-style-type: none"> <li>Type: Switch Mode</li> <li>Dimensions (mm): -</li> <li>Operating Temperature (°C): -</li> <li>Storage Temperature (°C): -</li> <li>Operating Voltage (Vac): 90-264</li> <li>Line cord: US</li> <li>Charger Base: for use with PMLN5228AR</li> </ul>	
	<p><b>Part Number: EPNN9288A</b>                  ASSY,P/S,CHGR SWM,NA/LA, SWITCHING, PWR SPLY                  Unit of Measure: EA CE: Yes RTTE: No</p> <table border="1" style="width: 100%;"> <tr> <td style="text-align: right;">List Price</td> </tr> <tr> <td style="text-align: center;">\$20.00</td> </tr> </table>	List Price
List Price		
\$20.00		

	<p><b>Tri-Chem Single Unit Charger Base</b></p> <ul style="list-style-type: none"> <li>Type: Base only</li> <li>Dimensions (mm): -</li> <li>Operating Temperature (°C): -</li> <li>Storage Temperature (°C): -</li> <li>Operating Voltage (Vac): N/A</li> <li>Line cord: N/A</li> </ul>	
	<p><b>Part Number: PMLN5228AR</b>                  CHARGER SINGLE UNIT RAPID TRI-CHEM                  Unit of Measure: EA CE: Yes RTTE: No</p> <table border="1" style="width: 100%;"> <tr> <td style="text-align: right;">List Price</td> </tr> <tr> <td style="text-align: center;">\$28.00</td> </tr> </table>	List Price
List Price		
\$28.00		

**Ear Microphone Solutions**


	<p><b>2-Wire Surveillance Earpiece with Combined Mic/PTT, (Beige)</b></p> <ul style="list-style-type: none"> <li>PTT: PTT on Mic</li> <li>Operation: Receive and Transmit</li> <li>Headband: None</li> <li>VOX capability: No</li> <li>Extra VOX-Switch on PTT: No</li> <li>Intrinsic Safety Standard: FM (CP140, CP160 and CP180 only)</li> </ul>	
	<p><b>Part Number: HMN9754D</b>                  SURVEILLANCE MIC                  Unit of Measure: EA CE: Yes RTTE: No</p> <table border="1" style="width: 100%;"> <tr> <td style="text-align: right;">List Price</td> </tr> <tr> <td style="text-align: center;">\$99.00</td> </tr> </table>	List Price
List Price		
\$99.00		

	<p><b>MagOne Earbud with in-line microphone and PTT</b></p> <ul style="list-style-type: none"> <li>Operation: Receive and transmit</li> <li>PTT: In-line</li> <li>Vox capability: Yes</li> <li>Extra Vox-Switch on PTT: Yes</li> <li>Intrinsic Safety Standard: No</li> <li>Note: Not approved for use with P165/P185 Portable Radios</li> <li>Note: MagOne warranty 6 months</li> </ul>	
	<p><b>Part Number: MDPMLN4442A</b>                  EAR BUD WITH IN-LINE PTT &amp; VOX                  Unit of Measure: EA CE: Yes RTTE: No</p> <table border="1" style="width: 100%;"> <tr> <td style="text-align: right;">List Price</td> </tr> <tr> <td style="text-align: center;">\$15.00</td> </tr> </table>	List Price
List Price		
\$15.00		

	<p><b>MagOne Earpiece with in-line microphone and PTT</b></p> <ul style="list-style-type: none"> <li>Operation: Receive and transmit</li> <li>PTT: In-line</li> <li>Vox capability: Yes</li> <li>Extra Vox-Switch on PTT: Yes</li> <li>Intrinsic Safety Standard: No</li> <li>Note: Not approved for use with P165/P185 Portable Radios</li> <li>Note: MagOne warranty 6 months</li> </ul>	
	<p><b>Part Number: MDPMLN4443A</b>                  ear rcvr with inline ptt&amp;vox                  Unit of Measure: EA CE: Yes RTTE: No</p> <table border="1" style="width: 100%;"> <tr> <td style="text-align: right;">List Price</td> </tr> <tr> <td style="text-align: center;">\$15.00</td> </tr> </table>	List Price
List Price		
\$15.00		

	<p><b>MagOne Earset with Boom Microphone and In-line PTT/VOX switch</b></p> <ul style="list-style-type: none"> <li>PTT: In-line</li> <li>Receive via: Single ear</li> <li>Transmit via: Boom mic</li> <li>Headband: None</li> <li>Vox capability: Yes</li> <li>Extra Vox-Switch on PTT: Yes</li> <li>Intrinsic Safety Standard: No</li> <li>Note: MagOne warranty 6 months</li> </ul>	
	<p><b>Part Number: MDPMLN4444A</b>                  EARPHONE BOOM MIC W/PTT &amp; VOX                  Unit of Measure: EA CE: Yes RTTE: No</p> <table border="1" style="width: 100%;"> <tr> <td style="text-align: right;">List Price</td> </tr> <tr> <td style="text-align: center;">\$19.90</td> </tr> </table>	List Price
List Price		
\$19.90		

**Ear Microphone Solutions (Continued)**



**D-Shell Earpiece with PTT/Mic**

- Receive Method: Standard
- Transmit Method: Microphone
- VOX capability: Yes
- PTT: In Line
- Intrinsic Safety: FM (CP140, CP160 and CP180 only)
- Note: Not approved for use with P165/P185 Portable Radios

<b>Part Number: PMLN5001A</b>	List Price
D SHELL EARPIECE WITH PTT/MIC	\$28.00
Unit of Measure: EA CE: Yes RTTE: No	



**Extreme Noise Kit, Includes Foam Earplugs with Acoustic Tube (Black)**

- Noise Kits provide extra comfort when wearing surveillance accessories.
- Lightweight translucent tube attaches to the surveillance kit and includes quick disconnect adapter.
- Clothing clip prevents the accessory from being pulled from the ear due to body movements.

<b>Part Number: RLN6230A</b>	List Price
EARPLUGS FOAM/ACOUSTIC TUBE BLACK	\$32.50
Unit of Measure: EA CE: Yes RTTE: No	




**Low Noise Kit, Includes Rubber Tip with Acoustic Tube (Black)**

- Noise Kits provide extra comfort when wearing surveillance accessories.
- Lightweight translucent tube attaches to the surveillance kit and includes quick disconnect adapter.
- Clothing clip prevents the accessory from being pulled from the ear due to body movements.

<b>Part Number: RLN6232A</b>	List Price
RUBBER EARTIP/ACOUSTIC TUBE BLACK	\$20.00
Unit of Measure: EA CE: No RTTE: No	

**Headsets**



**Lightweight Headset**

- PTT: No
- Receive via: Single ear
- Transmit via: Boom mic
- Headband: Over
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM (CP140/CP160/CP180 only)
- Note: Not approved for use with P165/P185 Portable Radios


<b>Part Number: HMN9013B</b>	List Price
LT WT HDST	\$60.00
Unit of Measure: EA CE: Yes RTTE: No	



**MagOne Lightweight Headset with in-line PTT/VOX switch**

- PTT: In-line
- Receive via: Single ear
- Transmit via: Boom mic
- Headband: Over
- Vox capability: Yes
- Extra Vox-Switch on PTT: Yes
- Intrinsic Safety Standard: No
- Note: MagOne warranty 6 months

<b>Part Number: MDPMLN4445A</b>	List Price
U/L HEADSET W IN-LINE PTT & VOX	\$25.00
Unit of Measure: EA CE: Yes RTTE: No	



**Lightweight Temple Transducer**

- Receive method: Bone conduction
- Transmit method: Microphone
- Voice Activation: Yes
- PTT: In Line
- Intrinsic Safety: No

<b>Part Number: PMLN5003A</b>	List Price
RETAIL TEMPLE TRANSDUCER	\$80.00
Unit of Measure: EA CE: Yes RTTE: No	

**Remote Speaker Microphones**



**D-Shell RSM Earpiece, 3.5mm**

- Operation: Attach to RSM - Receive Only
- PTT: No
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: FM (GP Series, DP Series and CP100 Series models only)


<b>Part Number: MDPMLN4620A</b>	List Price
D-SHELL RSM EARPIECE 3,5MM	\$19.90
Unit of Measure: EA	CE: Yes RTTE: No



**MagOne Remote Speaker Microphone with Omnidirectional mic**

- Audio Jack: No
- Emergency Button: No
- Volume Control: No
- Noise Cancelling: No
- Intrinsic Safety Standard: No
- Note: MagOne warranty 6 months


<b>Part Number: MDPMMN4008A</b>	List Price
REMOTE SPEAKER MICROPHONE	\$20.00
Unit of Measure: EA	CE: Yes RTTE: No



**Remote Speaker Microphone (IP54), with Ear Jack & Enhanced Noise Reduction**

- Audio Jack: 3.5mm
- Emergency Button: No
- Volume Control: No
- Noise Cancelling: Windporting feature
- Intrinsic Safety Standard: FM (CP140/CP160/CP180 only)

<b>Part Number: MDPMMN4013A</b>	List Price
RSM W/JACK IP 54 FOR CP	\$58.00
Unit of Measure: EA	CE: Yes RTTE: No



**Remote Speaker Microphone (IP57), with Enhanced Noise Reduction**

- Audio Jack: No
- Emergency Button: No
- Volume Control: No
- Noise Cancelling: Windporting feature
- Intrinsic Safety Standard: FM (CP140/CP160/CP180 only)

<b>Part Number: MDPMMN4029A</b>	List Price
RSM W/O JACK IP57 FOR CP	\$55.00
Unit of Measure: EA	CE: Yes RTTE: No



**Earbud with 3.5mm Plug**

- Operation: Attach to RSM
- PTT: No
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: FM (GP Series, DP Series and CP100 Series models only)

<b>Part Number: MDRLN4885B</b>	List Price
EARBUD WITH 3.5MM PLUG	\$26.00
Unit of Measure: EA	CE: Yes RTTE: No



**Receive only Earpiece with Translucent Tube and Eartip**

- Operation: Attach to RSM -Receive Only
- PTT: No
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: FM (GP Series, DP Series and CP100 Series models only)

<b>Part Number: MDRLN4941A</b>	List Price
RECEIVE-ONLY EARP. W. TRANSC. TUBE	\$55.00
Unit of Measure: EA	CE: No RTTE: No



**Over the ear Receiver for RSM**

- Operation: Attach to RSM
- Emergency Button: No
- Volume Control: No
- Programmable Button: No
- Intrinsic Safety Standard: FM (GP Series only)

<b>Part Number: WADN4190B</b>	List Price
EAR RCVR W/COIL CBL&3.5MM PLUG	\$42.00
Unit of Measure: EA	CE: No RTTE: No

## P100 Series Portable Accessories

### Manuals & Documentation

<p><b>P100 Series Publication CD, EMEA</b> Publication CD including User Guides, Service Manuals and Leaflets.</p> <p>IMAGE COMING SOON</p>	
<p><b>Part Number: PMLN5424A</b> P100 SERIES - PUBLICATION CD Unit of Measure: EA      CE: No    RTTE: No</p>	<p>List Price \$40.00</p>

### Service and Repair

<p><b>P100 Series Cloning Cable</b> • Cable to allow radio cloning</p> <p>IMAGE COMING SOON</p>	
<p><b>Part Number: PMDN4076AR</b> CLONING CABLE Unit of Measure: EA      CE: Yes    RTTE: No</p>	<p>List Price \$15.00</p>

<p><b>P100 Series Programming Cable</b> • Cable to allow radio programming.</p> <p>IMAGE COMING SOON</p>	
<p><b>Part Number: PMDN4077AR</b> PROGRAMMING CABLE Unit of Measure: EA      CE: No    RTTE: No</p>	<p>List Price \$63.00</p>

### Software and Applications

<p><b>P100 SERIES PROGRAMMING SOFTWARE</b></p> <p>IMAGE COMING SOON</p>	
<p><b>Part Number: GMVN5534A</b> P100 SERIES PROGRAMMING SOFTWARE Unit of Measure: EA      CE: No    RTTE: No</p>	<p>List Price \$25.00</p>

<p><b>P100 SERIES TUNER</b></p> <p>IMAGE COMING SOON</p>	
<p><b>Part Number: GMVN5535A</b> P100 SERIES TUNER Unit of Measure: EA      CE: No    RTTE: No</p>	<p>List Price \$25.00</p>